

34

Issue date	March 1, 2015		
Reviewed date	March 1, 2018	Safety Data Sheet	
neviewed date	March 1, 2010	SDS ID# 4095	
Section 1. IDEN	TIFICATION		
1.1. Product ide	ntifier		
Product form		: Mixture	
Product name		: Ammonia (0.0001%-0.01%) in Nitrogen	
1.2. Relevant ide	entified uses of tl	ne substance or mixture and uses advised against	
Product use		: Calibration gas/Bumptest gas/Function test gas	
1.3. Details of th	ne supplier of the	safety data sheet	
Intermountain S	• •		
520 N. Kings Roa			
Nampa, ID 8368		oll free 1-800-552-5003	
Fax 1-208-466-9		JII ITEE 1-800-552-5003	
www.isgases.cor			
1.4. Emergency Emergency num	telephone number	CHEMTREC: 1-800-424-9300	
Linergency num		. CHEWINEC. I 000 424 3300	
	ARDS INDENTIFIC		
2.1. Classificatio Classification	on of the substand	GASES UNDER PRESSURE - Compressed gas	
Classification		Simple asphyxiant - Yes	
2.2. Label eleme Hazard pictogram			
	1115	\wedge	
Signal word		: WARNING	
Hazard stateme	nts	: H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED	
		: OSHA-H01 - MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.	
		: OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL	
Precautionary st	tatements		
EN (English US)		SDS ID# 4095	Page 1 of 10

Ammonia (0.0001%-0.01%) in Nitrogen



[General]	: Read and follow all Safety Data Sheets (SDS's) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have a product container or label at hand. Use equipment rated for cylinder pressure.
[Prevention]	: P202 - Do not handle until all safety precautions have been read and understood : P308+P313 - If exposed or concerned: Get medical advice/attention. : P271+P403- Use only outdoors or in a well-ventilated area
[Response]	: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. : P313 - Get medical advice/attention.
[Storage]	: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)
[Disposal]	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3. Other hazards	

Ammonia (0.0001%-0.01%) in Nitrogen

No additional information available

2.4. Unknown acute toxicity

No data available

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	80.5 - 99.9998
Oxygen	(CAS No) 7782-44-7	0.0001 - 19.49
Ammonia	(CAS No) 7664-41-7	0.0001 - 0.01

Section 4. FIRST AID MEASURES	
4.1. Description of first aid measures	
General	: IF exposed or concerned: Get medical advice/attention.
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If
	breathing has stopped, give artificial respiration or oxygen by trained personnel. If
	victim feels unwell, seek medical advice.
Skin contact	: Immediately flush with copious amount of water for at least 15 minutes.
Eye contact	: Immediately flush with copious amount of water for at least 15 minutes.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation
	section.
4.2. Most important symptoms/effe	cts, acute and delayed

Acute



Inhalation	: May displace oxygen and cause rapid suffocation.
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation section.
Frostbite	: Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate medical advice/attention.
Symptoms/injuries upon intravenous administration	: Not known
Chronic symptoms	: Adverse effects not expected from this product.
Delayed	: Adverse effects not expected from this product.

Ammonia (0.0001%-0.01%) in Nitrogen

4.3. Indication of any immediate medical attention and special treatment needed If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

Section 5. FIREFIGHTING MEASURES	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known

5.2. Special hazards arising from the	substance or mixture
Fire hazard	: The product is not flammable
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing
	risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for fire-fighters	
Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow of
	gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from
	area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water
	spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of
	material or combustion by-products. Stay upwind and keep out of low areas. Exercise
	caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing
	Apparatus, SCBA) for fire fighters. Do not enter fire area without proper protective
	equipment, including respiratory protection.

Section 6. ACCIDENTAL RELEASE MEASURES		
6.1. Personal precautions, prot	tective equipment and emergency procedures	
General measures	: Ensure adequate ventilation.	
6.1.1. For non -emergency pers	sonnel	
Protective equipment	: Wear protective equipment consistent with the site emergency plan.	
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windows of	
	adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying	
	areas. Keep upwind.	



6.1.12. For emergency responders	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing
	Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emergency procedures	: Evacuate and limit access. Ventilate area. See information above "For non-
	emergency personnel".
6.2. Methods and material for cont	tainment and cleaning up
For containment	: Immediately contact emergency personnel. Try to stop gas leak if safe to do so.
Methods for cleaning up	:Dispose of content and/or container in accordance with local, regional, national,
	and/or international regulations.
Section 7. HANDLING AND STORA	GE
7.1. Precautions for safe handling	
Precautions for safety handling	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated
	for cylinder pressure. Do not handle until all safety precautions have been read and
	understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes,
	skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do
	not drag, roll, slide, or drop.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, in	
Technical measures	: None known.
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep
	containers closed when not in use. Protect cylinder from physical damage. Store and
	use away from heat, sparks, open flame or any other ignition source. Store in well
	ventilated area.
Incompatible products	: None known.
Incompatible materials	: None known.

Ammonia (0.0001%-0.01%) in Nitrogen

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Nitrogen (7727-37-9)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
2222		8-hour TWA	up to 10-hour TWA	8-hour TWA
ppm	mg/m ³	(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
Not octablished	Not octablished	Not established	Not established	Simple asphyxiant
Not established	Not established			
Oxygen (7782-44-7)				-
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
2022	····· 3	8-hour TWA	up to 10-hour TWA	8-hour TWA
ppm	mg/m ³	(ST) STEL	(ST) STEL	(ST) STEL

CIALTY GA	ermountain cialty Gases	Ammonia	(0.0001%-0.01%) in N	litrogen
		(C) Ceiling	(C) Ceiling	(C) Ceiling
above 19.5%.			asphyxiant (SA). Oxygen levels s	
OSH	IA PEL	Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
			up to 10-hour TWA	
ppm	mg/m ³	8-hour TWA	(ST) STEL	8-hour TWA
		(ST) STEL	(C) Ceiling	(ST) STEL
		(C) Ceiling	IDLH	(C) Ceiling
FQ 19 19 19	35 mg/m ³	50 ppm	25 ppm	25 ppm
50 ppm	35 mg/m	(ST) 35 ppm	(ST) 35 ppm	(ST) 35 ppm
			(C) n/a	
			IDLH 300 ppm	7

8.2. Appropriate engineering controls Engineering measures/controls : Provide adequate general and local exhaust ventilation. Systems under pressure

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities.

8.3. Individual protection measures	
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.gLab coats, coveralls or flame resistant clothing.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section
	13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

Section 9. PHYSICAL AND	CHEMICAL PROPERTIES	
9.1. Exposure controls		
Appearance	: Clear, colorless gas.	
Physical state	: Gas	
Color	: Colorless	
Odor	: Has a mild, ammonia odor	
Odor threshold	Reported values vary widely: 0.6 to 53 ppm	
рН	: No data available	
Freezing point	: No data available	
Flash point	: No data available	
EN (English US)	SDS ID# 4095	Page 5 of 10



- Flammability (solid, gas) Upper flammability Lower flammability Relative density Solubility Partition coefficient Auto-ignition temperature Decomposition temperature Viscosity
- : No data available

: Not Flammable - not combustible

Ammonia (0.0001%-0.01%) in Nitrogen

- : Not Flammable not combustible
- : Not Flammable not combustible
- : No data available
- : Not applicable

	Ammonia	Oxygen	Nitrogen	
Molecular weight (grams)	17.03	32.00	28.013	
Boiling point	-33.4 °C	-182.9 °C	-196 °C	
Vapor pressure	8,570 hPa @	Above critical	Above critical	
	20°C	temperature	temperature	
Vapor density at 20°C	0.6	1.11	0.97	
Relative gas density	608.7 kg/m ³ @ 20 °C	1.331	1.153	
Critical Temperature	133.0°C	-118.6 °C	-146.9 °C	

Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.4. Conditions to avoid

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

None known

Section 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Nitrogen ((7727-37-9)
------------	-------------

LC50 inhalation rat (ppm)

410,000 ppm/4h



Specially Ga	
Oxygen (7782-44-7)	
LC50 inhalation rat (ppm)	400,000 ppm/4h
Ammonia (7664-41-7)	
LC50 inhalation rat (mg/l)	5.1 mg/l /1 hour
LC50 inhalation rat (ppm)	2,000 ppm/4 hours
11.1. Information on routes of e	exposure
Inhalation	: May displace oxygen and cause rapid suffocation.
Skin contact	: Adverse effects not expected from this product
–	

Eye contact : Adverse effects not expected from this product Ingestion : Ingestion is not considered a potential route of exposure

11.7 Symptome related to physical	chemical and toxicological characteristics
11.2. SVIIIULUIIIS TEIdleu LU UIIVSILdi.	

Symptoms

Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen-deficient atmosphere (<=18%) may cause dizziness, drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss of consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury or death.

Ammonia (0.0001%-0.01%) in Nitrogen

11.3. Delayed and immediate effects	
Skin corrosion/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.
Serious eye damage/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Developmental Toxicity	: Not classified
Specific target organ toxicity (single	: Not classified
exposure)	
Specific target organ toxicity (repeated	d: Not classified
exposure)	
Aspiration hazard	: Not classified
	Not applicable for gases and gas-mixtures

11.4. Carcinogenic effects

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Section 12. ECOLOGICAL II	NFORMATION	
12.1. Aquatic Toxicity		
Ammonia (7664-41-7)		
LC50 Fish 1	0.44 mg/l (Exposure time: 96 hours - Species: Cyprinus carpio)	
EC50 Daphnia 1	25.4 mg/l (Exposure time: 48 hours - Species: Daphnia magna)	
EN (English US)	SDS ID# 4095	Page 7 of 10





LC50 Fish 2

0.26-4.6 mg/l (Exposure time: 96 hours - Species: Lepomis macrochirus)

12.2. Persistence and degradability

No information available for the product

12.3. Bioaccumulative potential

No information available for the product

12.4. Mobility in soil

No information available for the product

12.5. Other

No information available for the product

Section 13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14. TRANSPORATION INFORMATION

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping name	Compressed gas, n.o.s. (Nitrogen, Ammonia)			
Transport hazard class(es)	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 INCH-FLAMMABLE GAS	2.2 INCH FLAMMABLE GAS
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

Section 15. REGULATORY INFORMATION

15.1. US Federal regulations

SARA 311/312 hazard categories

Acute Health	: No
Chronic Health	: No
Fire	: No
Pressure	: Yes
Reactive	: No

SARA Title III Notifications and Information: None known

This product does not contain toxic chemicals subject to reporting requirements of section 313 of the Emergency planning and




Intermountain

Intermountain Specialty Gases	Ammonia (0.0001%-0.01%) in Nitrogen
Community Right-To-Know Act (EPCR)	A) of 1986 and of 40 CFR 372.
SARA 311/312	Sudden Release of Pressure Hazard
15.2. US State regulations	

Nitrogen (007727-37-9)
U.S Massachusetts - Right To Know List
U.S Minnesota - Right To Know Hazardous Substance List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
Oxygen (007782-44-7)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
Ammonia (7664-41-7)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List

Section 16. OTHER INFORMATION		
Date of issue/Date of revision	: New SDS 3/1/2015	
Revision Note	: Initial release	
Hazardous Material Information System (USA)		
Hazard Scale	: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe	
Health	: 0	
Fire	: 0	
Physical hazards	: 3	

Key/Legend		
SARA	Superfund Amendments and Reauthorization Act	
OSHA	Occupational Safety and Health Administration	
DOT	Department of Transportation	
TSCA	Toxic Substance Control Act	
NTP	National Toxicology Program	
ACGIH	American Conference of Governmental Industrial Hygienists	
PEL	Permissible Exposure Limit	
STEL	Short Term Exposure Limit	
TLV	Threshold Limit Value	
TDG	Transportation of Dangerous Goods	
CAS	Chemical Abstracts Service	
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
TWA	Time Weighted Average	
Prop	Proposition	
EN (English US)	SDS ID# 4095	Page 9 of 10



DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose (s).