



From Petro Hazards To Warfare Agents, Zytron 300 Is A True Performance Fabric.

- Ideal for demanding applications with potential for chemical splash.
- Increased physical strength and broad chemical holdout take the protection level up a serious notch.
- Available in seven NFPA certified styles.
- Excellent for petrochemical operations including chemical handling and maintenance work a favorite for military operations.
- A real workhorse of the Zytron family, available in a wide range of garment types and styles.

Kappler[®]







Customer Service 1-800-600-4019 • kappler.com

Zytron 300 ASTM F1001 Chemical Test Battery*

Chemical	Minutes	
Acetone	>480	
Acetonitrile	87	
Carbon Disulfide	>480	
Dichloromethane	70	
Diethylamine	>480	
Dimethylformamide	>480	
Ethyl Acetate	>480	
n - Hexane	>480	
Methyl Alcohol	55	
Nitrobenzene	>480	
Sodium Hydroxide	>480	
Sulfuric Acid	>480	
Tetrachloroethylene	>480	
Tetrahydrofuran	>480	
Toluene	>480	
Gases		
Ammonia Gas	39	
1,3 Butadiene Gas	>480	
Chlorine Gas	>480	
Ethylene Oxide Gas	81	
Hydrogen Chloride Gas	>480	
Methyl Chloride Gas	>480	

Chemical Agent	Minutes	Criteria
Bis (2-chloroethyl) sulfide (Mustard:HD)	>480	4.0 ug/cm2
lsopropyl methylfluorophosphonate (Sarin:GB)	>480	1.25 ug/cm2
Chlorovinyl arsinedichloride (Lewisite:L)	>240	4.0 ug/cm2
O-ethyl S-(2-diisopropylaminoethyl) methylphosphonothiolate (Nerve:VX)	>480	1.25 ug/cm2

* Industrial chemical testing was conducted in accordance with ASTM F 739 with normalized breakthrough times reported in minutes. ** Chemical Warfare Agent testing was conducted in accordance with MIL-STD-282 and/or NFPA 1994-2001 with breakthrough times reported based on total cumulative permeation. For detailed technical data and physical properties see page 30 or visit kappler.com.

WARNING: This information is based on technical data that Kappler believes to be reliable. It is subject to revision as additional knowledge and experience are gained. The website will contain Kappler's most up-to-date product information, and customers who receive pamphlets, brochures or other literature should be aware that such "hard copy" information may not be as current as the information on Kappler's website. Customers also should recognize that there are uses, environments and chemicals for which Kappler products, garments and/or fabrics are unsuitable. It is the responsibility of the user to review available data and verify that the product, garment and/or fabric is appropriate for the intended use and meets all specified government and/or industry standards. Also, the customer should review all available information on the website to understand the uses – and limitations – on ALL products, garments and fabrics which Kappler makes available.

CAUTION: Do not use for fire protection. Avoid open flame or intense heat.

Large visor system on encapsulating suits for better field of vision.

Zytron[®] 300



Shown above are typical garment types for this fabric. View standard styles at kappler.com or call Customer Service for custom options.

Rear entry style shown provides protection in front-splash scenarios.

Attached gloves are available on any heat sealed/taped seam garment.



ChemScan® labels – quick, accurate and only from Kappler. Scan the label with your phone's QR reader for a complete list of chemicals tested against your garment's protective fabric.

> Attached sock booties with splash guards are standard.

> > MM-0008 / 19KAP111 / OCT19 / 3C

