

Dräger X-plore® 5500 Full Face Mask

Whether in the chemical, metal, or automotive industries, ship building, maintenance, supplies, or disposal: The Dräger X-plore® 5500 full face mask is the right solution for environments where not only increased respiratory protection is required, but a clear vision is mandatory.



Benefits

Safe and comfortable fit

A double sealing frame with threefold sealing edges offers safe protection and a secure fit for almost all face shapes. The mask body from durable EPDM ensures a great level of wearing comfort even during prolonged use.

5-point harness

The comfortable 5-point harness ensures that the mask is easy and quick to don. Additionally, the wide strap design prevents the development of pressure points on the head.

Large field of view due to 180° lens from PC or Triplex

The distortion-free lens with 180° wide angle guarantees a large field of view with excellent periphial vision. There is a choice of impact-proof polycarbonate material (with plastic frame) or scratch-proof and chemical-resistant Triplex glass (an extra stable stainless steel frame).

Easy recording, servicing, and management

One universal size simplifies logistics and storage. An inside barcode allows for ease of recording and servicing the mask inventory.

Efficient ventilation system

The efficient ventilation system with separate interior half mask ensures a fog-free lens and unobstructed view.

Large field of vision

The lateral location of the filters does not impede the field of vision of the wearer.

Versatile use

The Dräger X-plore® 5500 is equipped with two lateral bayonet connections for use of the comprehensive Dräger X-plore® bayonet filter series.

Accessories



Dräger X-plore® Bayonet Filters

Experience a new dimension of comfort and safety in respiratory protection: the Dräger X-plore® Twinfilter series. It sets the benchmark in comfort and use. The utilization of modern materials, coupled with an attractive design, guarantees maximum comfort and user acceptance.



Welding protection visor

(Only for stainless steel frame) accepts standard 4-1/2" x 5-1/4" glass Order No.: 4053437



Wikov V carry box

Order number: R 51 019



Lens overlay protectors

Order number: 40 55 092

Accessories



Spectacles kit

Order number: R 51 548



Anti-fogging gel "klar-pilot"

Order number: R 52 560



DAISYquick cleaning cloths

Cleaning cloths to remove dirt easily, without damaging the mask.



Full Face Bag

Blue Nylon with Draw String Order No.: R 40 55 785

Accessories



PortaCount Fit Test Adapter

Order No.: 67 38 979



OHD Quantifit

Fit Test Adapter

Order-No.: 40 57 023



Anti-fogging spray

Order number: R 21 120



Triplex Glass Lens

Order number: R 26 989

Related Products



Dräger X-plore® 6300

The Dräger X-plore® 6300 is an efficient, low-cost full face breathing mask intended for price-conscious users not wishing to compromise comfort or quality. This full face mask is the successor to the Panorama Nova Standard, a mask which has proven itself over decades of use worldwide—redesigned and improved with fresh colors and an integrated bar code.



Dräger X-plore® 6530

Especially durable with wide panoramic view: Drager X-plore® 6530 is an exceptional full face mask for professional use in the most versatile applications.



Dräger X-plore® 6570

The Dräger X-plore® 6570 is the high-comfort silicone full face mask used by professionals in a wide variety of applications. It meets the highest demands of quality, reliability, secure fit, and comfort. This full face mask is the successor to the Panorama Nova masks, a range which has proven itself over decades of use worldwide.



Dräger X-plore® 3300

Dräger X-plore $^{\circ}$ 3300 offers both practical use and comfort, by its economical and low-maintenance design.

Related Products



Dräger X-plore® 3500

A perfect combination of durability, protection, and comfort. For harsh conditions and long duration use, the Drager X-plore® 3500 half mask is the first choice.

Technical Data

Mask body	EPDM with high ageing resistance, extremely hypoallergenic	
Visor	Polycarbonate (with wide field of vision) or Triplex (extremely	
	scratch-resistant with high chemical resistance)	
Filter connection	Two side-positioned bayonet connections for use of the Dräger	
	X-plore® Bayonet Filter range	
Weight	approx. 1.1 lbs	
Approvals	NIOSH approved, EN136 Cl.2 with CE mark	
Maintenance	Spare parts available	

Ordering Information

	Order no.
With PC lens and plastic frame	R 55 270
With Triplex lens and stainless steel frame	R 56 655
Spectacle Kit (frame and holder)	R 51 548
Full face case, hard plastic	R 51 019
Lens cover (set of 25), self-adhesive	40 55 092
Anti-fog, Alcohol Free Liquid Gel, 50ml	R 52 560
Alcohol Free Wipes, Box of 100	40 53 845
Welding shield for use with stainless steel	40 53 437
frame (accepts standard 4.5" x 5.25"	
glass)	
	With Triplex lens and stainless steel frame Spectacle Kit (frame and holder) Full face case, hard plastic Lens cover (set of 25), self-adhesive Anti-fog, Alcohol Free Liquid Gel, 50ml Alcohol Free Wipes, Box of 100 Welding shield for use with stainless steel frame (accepts standard 4.5" x 5.25"

The Dräger X-plore® Bayonet filter range offers an extensive range of particulate, gas and vapor, and combination filters and cartridges (see separate datasheet for filter types and applications).

Not all products, features, or services are for sale in all countries.

Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA Moislinger Allee 53–55 23558 Lübeck, Germany www.draeger.com

USA

Draeger, Inc. 7256 S. Sam Houston Parkway W., Suite 100 Houston, TX 77085 1 800 4DRAGER (1 800 437 2437)

CANADA

Draeger Safety Canada, Ltd. 2425 Skymark Ave., Unit 1 Mississauga, Ontario L4W 4Y6 1 877 DRAGER1 (1 877 372 4371)

Locate your Regional Sales Representative at: www.draeger.com/contact





Northside Sales, Co.

Safety & Industrial Products