



# Dräger X-plore<sup>®</sup> 6570 Full Face Mask

The Dräger X-plore<sup>®</sup> 6570 is the high-comfort silicone full face mask used by professionals in a wide variety of applications. It meets the highest demands of quality, reliability, secure fit, and comfort. This full face mask is the successor to the Panorama Nova masks, a range which has proven itself over decades of use worldwide.



### **Benefits**

#### Silicone mask body for safety and wearing comfort

A double sealing frame with threefold sealing edges offers safe protection and a secure fit for almost all face shapes. The mask body is made of durable and eudermic silicone (blue or yellow color), which provides non-compromising wearing comfort—even during prolonged use.

#### 5-point harness

The comfortable 5-point harness not only ensures easy and quick donning, the wide strap design prevents the development of pressure points on the head.

#### Large field of vision

The distortion-free lens with 180° wide angle guarantees a large field of view with excellent periphial vision. The lens is made from impact-proof polycarbonate with either a plastic or stainless steel lens frame available.

#### Simple servicing and logistics

One universal size simplifies logistics and storage. The inside barcode allows for ease of recording and servicing the mask inventory.

#### Efficient ventilation system

The efficient ventilation system with separate interior half mask prevents the visor from misting up and guarantees a clear view.

#### **Clear voice communication**

An integrated stainless steel voice diaphragm facilitates good communication.

#### Versatile use

The Dräger X-plore<sup>®</sup> 6570 is equipped with an Rd40 connection (40mm threaded) for use of the Dräger X-plore<sup>®</sup> Rd40 filter series.



#### Dräger X-plore® Rd40 Filters

Whether used in chemical industry or automobile industry, shipbuilding, metal processing industry, or by public utility services—for decades Dräger respiratory protection filters have been a synonym for experience and safety worldwide. They clean breathable air from contaminants in a low-cost and effective manner.

# Uter-tadapter-4057B

Fit Test Adapter

Order No.: R 40 56 718



**OHD Quantifit** 

Fit Test Adapter

Full face case, hard plastic for full mask

Order No.: R 51 019

D-7582-2011



#### Lens overlay protectors, self-adhesive

Order No.: 40 55 092

Mask spectacles kit

Order No.: R 51 548

#### Welding protection visor (only for stainless steel frame)

Accepts standard 4-1/2" x 5-1/4" glass Order No.: 4053437

ST-14935-2008


visor-triplex-19309-2009



#### **Triplex glass lens**

Excellent temperature and chemical resistance

Order No.: R 26 989



#### Hairnet

Order No.: 40 54 931



#### PortaCount Fit Test Adapter

Numerical Registeries
Numerical Reg

ST-6179-2006

# Anti-fogging gel "klar-pilot" (50 ml)

Order No.: R 52 560



#### Anti-fogging spray

Order number: R 21 120



Alcohol-free wipes, box of 100

Order No.: 40 53 845

#### Full Face Bag

Blue Nylon with Draw String Order number: R 40 55 785

# **Related Products**



#### Dräger X-plore<sup>®</sup> 5500

Whether in the chemical, metal, or automotive industries, ship building, maintenance, supplies, or disposal: The Drager X-plore<sup>®</sup> 5500 full face mask is the right solution for environments where not only increased respiratory protection is required, but a clear vision is mandatory.

# **Related Products**



#### Dräger X-plore<sup>®</sup> 6300

The Dräger X-plore<sup>®</sup> 6300 is an efficient, low-cost full face breathing mask intended for price-conscious users not wishing to compromise comfort or quality. This full face mask is the successor to the Panorama Nova Standard, a mask which has proven itself over decades of use worldwide—redesigned and improved with fresh colors and an integrated bar code.

#### Dräger X-plore<sup>®</sup> 6530

Especially durable with wide panoramic view: Drager X-plore<sup>®</sup> 6530 is an exceptional full face mask for professional use in the most versatile applications.



# **Technical Data**

| Mask body           | Particularly skin-friendly silicone, which is highly flexible at high/<br>low temperatures |  |
|---------------------|--|--|
|                     |  |  |
| Visor               | Choice of impact-resistant polycarbonate or extremely                                      |  |
|                     | temperature- and chemical-resistant triplex  |  |
| Connector           | Sturdy plastic with inhalation and exhalation valve, standard thread                       |  |
|                     | connection Rd 40x1/7" as per EN 148-1  |  |
| Weight              | 1.1–1.3 lbs (depending on visor/frame)   |  |
| Tested and approved | EN 136 Class 3 (CE mark), NIOSH (PC), AS/NZS   |  |

# Ordering Information

| Description                                  |  | Order no. |
|--|--|-----------|
| Dräger X-plore® 6570 SI/PC                   | With PC visor and plastic frame  | R 55 790  |
| Dräger X-plore® 6570 SI/PC                   | With PC visor and stainless steel frame  | R 51 535  |
| Dräger X-plore <sup>®</sup> 6570 SI/Triplex  | With triplex visor and stainless steel frame                                       | R 55 850  |
| Accessories                                  |  |           |
| Wikov V carrying case                        |  | R 51 019  |
| Protex mask bag                              |  | R 54 939  |
| Mask spectacles kit                          |  | R 51 548  |
| Lens covers (set of 25), self-adhesive       |  | 40 55 092 |
| Welding protection visor (only for stainless |  | R 50 270  |
| steel frame)                                 |  |           |
| Anti-fogging gel "klar-pilot"                |  | R 52 560  |
| DAISYquick cleaning cloths (pack of 10)      |  | R 54 134  |
| Welding shield                               |  | 40 53 437 |
| Adapter for welding shield                   | for supplementary panels and welding protective filters with a 4.3 x 3.5 in format | R 57 308  |

The compatible Dräger X-plore<sup>®</sup> Rd40 filter series with standard thread connection as per EN 148-1 includes an extensive range of different particle, gas and combination filters (see separate data sheet Dräger X-plore<sup>®</sup> Rd40 Filters for further details).

Notes

Notes

Not all products, features, or services are for sale in all countries. Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

#### CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA Moislinger Allee 53–55 23558 Lübeck, Germany www.draeger.com

#### Customer Service: USA +1 800-4DRAGER

(+1 800-437-2437)

#### CANADA +1 877-DRAGER1 (+1 877-372-4371)

Technical Service: USA +1 800-4DRAGER (+1 800-437-2437)

Locate your Regional Sales Representative at: www.draeger.com/contact

