



## PRODUCT SAFETY DATA SHEET

### O<sub>2</sub> Sensor (Model OS-BM2)

This product is not subject to the SDS systems due to its enclosed structure.

This sheet does not guarantee the safety, but is provided only as information for safe use of the sensor.

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : O<sub>2</sub> sensor  
Product model : Model OS-BM2  
Company : Riken Keiki Co., Ltd.  
Address : 2-3 Minamisakae-cho, Kasukabe, Saitama 344-0057 Japan  
Department : Quality Control Department, division 2  
Telephone : +81-48-878-8047 (Quality Control Department, division 2)  
FAX number : +81-48-761-1181

#### 2. HAZARDS IDENTIFICATION

GHS classification : Not applicable

Health hazards : There is no hazard as a sensor since the chemical components are sealed in an enclosure. The electrolyte in a sensor contains potassium hydroxide which has acute toxicity and is corrosive substance. Skin contact with electrolyte leaked from sensor may cause dermopathy, and eye contact may lead to impairment such as sight loss.

Physical hazards : Throwing into fire or heating over 100 °C may cause explosion.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Part	Chemical name or general name	CAS No.	Content ratio to sensor weight
Electrode	Lead (Pb)	7439-92-1	5 wt%
	Gold (Au)+nickel (Ni)+SUS	7440-57-5(Au) 7440-02-0(Ni)	0.2 wt%
Electrolyte	Potassium hydroxide solution (KOH),	1310-58-3(KOH)	5.5 wt%
	Other electrolyte ingredients	-	
Other component	Stainless steel (SUS)	-	29.5 wt%
	Resin	-	20 wt%
	Printed-circuit board	-	20.5 wt%
	Brass	-	9.5 wt%
	Rubber	-	7.5 wt%
	Solder	-	1.5 wt%
	Electronic component	-	0.4 wt%
	Glass fibre	-	0.1 wt%

---

## 4. FIRST AID MEASURES

In case of electrolyte leak from product

Inhalation of vapor :	Remove victim to fresh air immediately, keep at rest, and call a doctor.
Skin contact :	Rinse skin immediately. If the victim feels a pain or abnormality, call a doctor immediately.
Eye contact :	Call a doctor immediately. Wash carefully with water for a few minutes, then remove contact lenses if present and easy to do. Continue rinsing.
Ingestion :	Call a doctor immediately. Rinse mouth. Do NOT induce vomiting.

---

## 5. FIRE FIGHTING MEASURES

Suitable extinguishing media :	Small fire: Powder fire extinguisher, CO <sub>2</sub> , water sprinkling Conflagration: Powder fire extinguisher, CO <sub>2</sub> , alcohol-resistant foam fire extinguisher, water sprinkling
Special extinguish method :	Remove sensor from the fire area if not dangerous. Fight fire in a farthest and effective place, by use of the unmanned protective hose or the nozzle with monitor.

---

## 6. ACCIDENTAL RELEASE MEASURES

In case of electrolyte leak from product

Personal precautions, protective equipment and emergency procedures :	Worker must wear protective equipment.
Environmental precautions :	Prevent from entering drains.
Methods and materials for containment and clearing up :	Absorb leakage with wet mop or wet sponge to prevent further spread.

---

## 7. HANDLING AND STORAGE

Handling :	Pack up with materials strong enough to prevent damage due to vibration, impact, drop, and/or stack during transportation. Avoid deformation by pressing, fire exposure and decomposition. Do not mix with other sensors, used and unused ones.
Storage :	Keep dry (avoid wet with rain) during storage and transportation. Keep the sensor from high temperature, direct sunlight, heat exposure (ex. stove), high humidity, condensing, waterdrop or freezing during storage.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Facility measures :	No need in normal use.
Acceptable level :	Not set up for normal use.
<Protective equipment>	(In case of leak from product)
Respiratory protection :	No need in most cases.
Hand protection :	Protective gloves.
Eye protection :	Safety goggles with side plates.
Skin and body protection :	Impermeable protective equipment such as appropriate boots or protective clothing, to avoid any contact.

---

## 9. PHYSICAL AND CHEMICAL STATE

Appearance :	Cylindrical
--------------	-------------

---

## 10. STABILITY AND REACTIVITY

This sensor is a chemical product using chemical reaction, and the performance degradation, therefore, will occur due to long-term storage as well as use. Inappropriate environment (ex. temperature) in actual use may cause performance degradation or/and damage which come(s) from life deterioration and/or leakage.

---

## 11. TOXICOLOGICAL INFORMATION

No toxicity since the content is sealed in an enclosure of the sensor.

---

## 12. ECOLOGICAL INFORMATION

No ecological information.  
Sensor contains heavy metal (lead (Pb)).

Ecotoxicity	
Aquatic environmental toxicity (acute) :	No data available.
Aquatic environmental toxicity (chronic) :	No data available.

Information from SDS for potassium hydroxide	
Ecotoxicity	
Aquatic environmental toxicity (acute) :	No data available.
Aquatic environmental toxicity (chronic) :	No data available.

Information from SDS for lead	
Ecotoxicity	
Aquatic environmental toxicity (acute) :	No data available.
Aquatic environmental toxicity (chronic) :	No data available.

---

## 13. DISPOSAL CONSIDERATIONS

Dispose appropriately in accordance with local/national regulation, or return to our distributors.

---

#### 14. TRANSPORT INFORMATION

Precaution :	Avoid leaving at high temperature, condensing, etc. Avoid transportation that may cause collapse or packaging damage.
UN No. and UN classification :	Not applicable
International regulations	
Marine transport :	Comply with IMO regulations.
Air transport :	Comply with ICAO/IATA regulations.
National regulations	
Marine transport :	Comply with Ship Safety Law.
Air transport :	Comply with Aviation Law.

---

#### 15. REGULATORY INFORMATION

No data available.

---

#### 16. OTHER INFORMATION

\* This safety data sheet was prepared on the basis of some literature/documents. However, be extra careful when handling since it does not necessarily cover all the information. The description for physical, chemical function and hazardous toxicity, etc. is given only for reference purposes and, therefore, does not provide any warranty.

The stated cautions are for normal handling only. In case of special handling required, take sufficient safety measures for intended use/usage.

---